

Web site User Guide

July 26, 2012



History

Date	Version	Description	Author
07/26/2012	1.0	Initial Release	Booz Allen Hamilton

Change Control for This Document

The DPRIS Web site User Guide is subject to review and update by the DPRIS Program Manager (PM) and DPRIS support team. Review and update will take place when any of the following situations occurs:

- Modifications in response to comments or change requests, if any, received from Personnel and Readiness Information Management (P&R IM)
- Changes in project scope or management processes
- Identification of process-improvement activities that modify risk-management processes, procedures, or practices

This document's Revision History table summarizes changes to the DPRIS Web site User Guide. Each revised plan is subject to the DPRIS Program Management Office (PMO) document review and approval process before becoming final. When the PM has approved and finalized changes, a new version of the DPRIS Web site User Guide will be available for reference by all DPRIS Users.

Table of Contents

1.	Int	trodu	ıction	1
	1.1.	Pre	face	1
	1.2.	Pur	pose	1
	1.3.	Obj	ective	1
	1.4.	Rec	commended Prerequisites	2
	1.5.	DP	RIS User Levels	2
	1.6.	Per	sonnel Records Available Through DPRIS	3
2.	DP	RIS	Standard Indexing Scheme	4
	2.1.	Ori	gin of the DPRIS Indexing Scheme	4
	2.2.	DP	RIS Groups and Subgroups	5
3.	Ne	w Us	ser Registration	6
	3.1.	Nev	w User registration Home Page	6
	3.2.	Nev	w User Registration Information Page	7
	3.3.	Priv	vacy and Security Statement	8
	3.4.	Log	gin Method	9
	3.4	1.	User ID and Password Method	9
	3.4	.2.	Common Access Card Method	1
	3.5.	Nev	w User Registration Form1	4
	3.6.	Ma	nager Selection Page	5
4.	Usi	ing I	OPRIS1	7
	4.1.	Log	gging into DPRIS1	7
	4.1	.1.	Logging into DPRIS with a User ID and Password	7
	4.1	.2.	Logging into DPRIS with a Common Access Card	8
	4.2.	Cre	eating Requests in DPRIS	1
	4.2	2.1.	Creating an OMPF Request	2
	4.2	2.2.	Creating a JSRRC Request	:3
	4.3.	Vie	ewing Responses	9
	4.4.	We	b-Based DPRIS Reports	1
5.	Ac	coun	nt Management3	2
	5.1	Cha	anging Your Account Profile	4

5.2.	Ch	anging Your Password	35
5.3.	Ac	tivating, Deactivating & Rejecting Users	36
5	3.1.	Activating New Users	36
5	3.2.	Deactivating Users	38
5	3.3.	Rejecting a User	40
5.4.	Up	dating User Profiles	41
5.5.	For	rgotten Passwords	42
5	5.1.	Resetting Your Password	42
5	5.2.	Resetting Another User's Password	43
5.6.	Rea	assigning Subordinate DPRIS Users	45
6. In	form	nation Page	47
7. D	PRIS	S Help	48
8. C	onclu	ısion	50
APPE	5.3. Activating, Deactivating & Rejecting Users 36 5.3.1. Activating New Users 36 5.3.2. Deactivating Users 38 5.3.3. Rejecting a User 40 5.4. Updating User Profiles 41 5.5. Forgotten Passwords 42 5.5.1. Resetting Your Password 42 5.5.2. Resetting Another User's Password 43 5.6. Reassigning Subordinate DPRIS Users 45 Information Page 47 DPRIS Help 48 Conclusion 50 PPENDIX A. Acronyms 51 Table of Figures gure 1-1 User Level Permissions 2 gure 1-2 DPRIS User Levels 3 gure 1-3 Records Available 3 gure 2-1 Indexing Scheme 4 gure 3-1 Registering a New User 6 gure 3-2 New User Registration Information Page 7 gure 3-3 Privacy and Security Statement 8 gure 3-4 Login Method Form 9 gure 3-5 User ID and Password 9 gure 3-7 Common Access Card Method 11 gure 3-8 Select Certificate 11 gure 3-9 Select Certifi		
		Table of Figures	
Figure	1-1 U	Jser Level Permissions	2
Figure	1-2 D	OPRIS User Levels	3
Figure	1-3 R	Records Available	3
Figure	2-1 Iı	ndexing Scheme	4
Figure	3-1 R	Registering a New User	6
Figure	3-2 N	New User Registration Information Page	7
Figure	3-3 P	Privacy and Security Statement	8
Figure	3-4 L	ogin Method Form	9
Figure	3-5 L	Jser ID and Password	9
Figure	3-6 E	DPRIS Password Rules	10
Figure	3-7 C	Common Access Card Method	11
Figure	3-8 S	Select Certificate	11
Figure	3-9 S	Select Certificate Prompt	12
Figure	3-10	Security Alert	12
Figure	3-11	PIN Prompt	13
Figure	3-12	Certificate Box	13
Figure	3-13	New User Registration Form	14

Figure 3-14 Manager Selection Page	15
Figure 3-15 Manager Information	15
Figure 3-16 Form Submitted	16
Figure 4-1 DPRIS Login	17
Figure 4-2 Select CAC	18
Figure 4-3 Select Certificate	18
Figure 4-4 Security Alert	19
Figure 4-5 Enter PIN	19
Figure 4-6 Certificate ID.	20
Figure 4-7 U.S. Government Information System Notification	20
Figure 4-8 View Responses Page	21
Figure 4-9 Create Request Screen.	21
Figure 4-10 OMPF Request Form	22
Figure 4-11 JSRRC Request Form	23
Figure 4-12 PTSD Stressor Form	24
Figure 4-13 JSRRC Form	25
Figure 4-14 Agent Orange Claim Form.	26
Figure 4-15 Submit Request Form	27
Figure 4-16 Request Submitted	27
Figure 4-17 Response IDs.	29
Figure 4-18 List of Available Images	30
Figure 4-19 DD Form 214	30
Figure 4-20 Reports Page	31
Figure 4-21 Web-Based Report	32
Figure 5-1 Account Management	33
Figure 5-2 My Account Profile	34
Figure 5-3 Changing Your Password	35
Figure 5-4 User Accounts	36
Figure 5-5 New User Account	36
Figure 5-6 New User Profile	37
Figure 5-7 Role Assignment	37
Figure 5-8 Deactivating an Active User Account	38
Figure 5-9 Deactivate User Profile	38

Figure 5-10 Deactivate User	39
Figure 5-11 Deactivation Submission	39
Figure 5-12 Rejecting a User	40
Figure 5-13 Reject Authorization	40
Figure 5-14 Updating User Profiles	41
Figure 5-15 Invalid Login Attempts	42
Figure 5-16 Forgot Your Password	42
Figure 5-17 Forgot Password Prompt	43
Figure 5-18 Resetting Another User's Password	43
Figure 5-19 Reset Password Link	44
Figure 5-20 Submit Reset Password	44
Figure 5-21 Reassign Users	45
Figure 5-22 Select User to Reassign	45
Figure 5-23 Select New Manager	46
Figure 5-24 Successful Reassignment	46
Figure 6-1 Information Page	47
Figure 7-1 DPRIS Help	48
Figure 7-2 Assistance Form	48
Figure 7-3 Frequently Asked Questions	49

1. INTRODUCTION

1.1. PREFACE

Over the years, the U.S. Services have maintained personnel records in the most efficient and lawful media for the time period. For the greater part of history, records were stored using paper. From the mid-1970s until the 1990s, microfiche was the chosen media to store permanent record information. The next major conversion, digital electronic images, has been adopted by all branches of the Services. This process allows paper to be scanned, indexed with identifiers, and made available for electronic viewing.

The Official Military Personnel File (OMPF) is one of the most important records maintained for individual Service Members. These files contain permanent information for each Service Member and are maintained by the Services in order to administer careers and support certain benefits eligibility. Each of the Services maintains the OMPF information in digital image format. This format enables an authorized individual access to view these images.

The Defense Personnel Records Information Retrieval System (DPRIS) is the primary internet portal supporting external electronic access by authorized government agencies to any of the Services' digital OMPF repositories. DPRIS allows routine authorized Users of OMPF information to obtain copies of the digital images contained in the Services' personnel systems within 48 hours, through a single internet-based interface. Access to the Services' digital OMPF repositories has also been granted to on-site liaison office staff and to agency representatives for walk-in visits to the Service Personnel Command sites.

In the past, information from these records was typically provided via hardcopy, with requests for information and responses to such requests mailed through the U.S. Postal Service. Regardless of the form in which the information is obtained, all Users are required by law to safeguard the information contained in the OMPF. The owners of the OMPF information is required to keep a record pertaining to disclosure of the information, as directed by the Privacy Act of 1974 and Health Insurance Portability and Accountability Act (HIPPA).

The normal means of entry to the DPRIS Web site is through its home page at https://www.dpris.dod.mil, which includes a public area open to all internet users. This public area contains descriptive information about DPRIS, as well as links to other related Web sites. However, the primary purpose of DPRIS is to enable authorized routine Users of OMPF information to access digital copies of source documents in a member's or a veteran's file. This functionality is supported within the secure area of the Web site, which is only accessible by preauthorized Users of government agencies who have logged in via the DPRIS Home Page.

1.2. Purpose

This DPRIS Web site User Guide will assist Users of the Web site in ordering digital copies of OMPF documents, reports to which access is authorized, as well as in navigating through the Web site itself (located at https://www.dpris.dod.mil). This User Guide also explains, from a typical User's perspective, the DPRIS capabilities and functions encountered while ordering and viewing images through the system. Additional topics include OMPF content, the DPRIS Standard Indexing Scheme, Account Management and troubleshooting for Users.

1.3. **O**BJECTIVE

The objective of this User Guide is to familiarize Users with the DPRIS Web site and to provide guidance in using DPRIS to submit requests and review responses. In addition, this resource will help Users register for, and manage their accounts, as well as request further assistance if needed.

1.4. RECOMMENDED PREREQUISITES

Each DPRIS User should be familiar with the use of Microsoft Windows and Windows-based applications. In order to initiate requests for and display OMPF images or DPRIS reports, the computer in use must support standard Internet access utilizing standard Microsoft Internet Explorer browser software, including Adobe Reader.

1.5. **DPRIS** USER LEVELS

There are three levels of DPRIS User groups: Super User, Manager, and User, structured in a top-down, hierarchical approach. Figure 1-1 provides the permissions associated with each of the DPRIS User groups.

TABLE 1: USER LEVEL PERMISSIONS FOR DPRIS			
Permission	Super User	Manager	User
Access the DPRIS website	X	X	X
Request military personnel records	X	X	X
Review retrieved record information	X	X	X
Initiate secure user requests and follow-up messages with OMPF Action Officers	х	X	X
Initiate requests for approved Standard Reports	X	X	X
Manage own personal account information	X	X	X
Maintain oversight of subordinate users	X	X	
Verify and approve/disapprove DPRIS registration requests for subordinate users	Х	X	
Reset passwords for subordinate users	X	X	
Assign document and report access for subordinate users	X	X	
Deactivate accounts for subordinate users	X	X	
Review, as warranted, any retrieved record information and follow- up exchanges by subordinate users	X	X	

Figure 1-1 User Level Permissions

As shown in the hierarchical structure in Figure 1-2, Super Users have the roles and responsibilities for all Managers and Users. Managers have the roles and responsibilities for their assigned subordinate Users.




Figure 1-2 DPRIS User Levels

1.6. Personnel Records Available Through DPRIS

The OMPF information available through DPRIS have specific dates associated with their branch of Service. Figure 1-3 shows the OMPF information availability dates for each of the Military Services. For example, any Member of the Army who served on or after October 1, 1994 should have OMPF information available via DPRIS. Records for those who were discharged, deceased, released from Active Duty or retired prior to the below dates are likely to be maintained at the National Personnel Records Center (NPRC) www.archives.gov/veterans/evetrecs/. Please refer to the latest Standard Form 180 for more information.



Figure 1-3 Records Available

2. DPRIS STANDARD INDEXING SCHEME 2.1. ORIGIN OF THE DPRIS INDEXING SCHEME

Each of the Services manages their OMPF digital records systems differently. Rather than requiring Users to learn each indexing system, DPRIS has developed a standard index. Each document accessible by DPRIS from the four Service OMPF systems has been mapped to the DPRIS standard indexing scheme. The DPRIS Standard OMPF Document Indexing Scheme is depicted in Figure 2-1. The Figure shows the four major functional document groupings and 26 supporting subgroups.

Service Computation

DD-214 / DD-215
Service Verification / Computation
Officer Appointment / Termination
Enlistments / Extensions
Service Acknowledgements / Agreements
Discharge / Separation / Retirement
Casualty / Death
Active / Reserve Orders / Endorsements

Professional History

Promotion / Advancement / Reduction Service / Military Education / Training Civilian Education / Training Service Status / Changes / Revisions Chronological Assignments History Qualifications / Licenses / Certificates Security Access / Clearance / Screening

Performance

Performance / Evaluation Reports Commendatory Items Derogatory Items Sensitive / Restricted Photographs

Administrative

Dependent Support / Eligibility
Personal History / Evaluation / Biography
Loan / Tuition Assistance / Eligibility
Change / Correction / Verification / Proof
Medical / Physical / Examinations / Findings
Miscellaneous Administrative Documents

Figure 2-1 Indexing Scheme

2.2. **DPRIS GROUPS AND SUBGROUPS**

All documents in the Service's digital OMPF inventory accessible by DPRIS are assigned to one of the following four major functional groupings:

- <u>Service Computation</u>: Documents that record service entry and exit, length of service, service agreements, appointments, commissions, statements of cumulative service, and other similar time specific data.
- <u>Performance</u>: Documents that record a Service Member's performance including evaluations, fitness reports, effectiveness reports, commendatory or derogatory items, and other performance-specific data.
- <u>Professional History</u>: Documents that record promotions, education, training, chronological listings of assignments, qualifications, and similar historical data.
- <u>Administrative</u>: Documents that record administrative actions or personal information regarding dependents, tuition assistance, medical and dental reports, insurance, and other miscellaneous administrative data.

The Consolidated OMPF Document Mapping Report, published July 24, 1998, assigned each of the individual document types contained in the Services' digital OMPF systems (accessible by DPRIS) to one or more of the DPRIS Standard Index subgroups. Building on this, DPRIS can support standard requests and retrieval of OMPF document images from any of the four OMPF systems using a single functional methodology.

3. NEW USER REGISTRATION

3.1. New User registration Home Page

As additional agencies become authorized to retrieve electronic OMPF information via DPRIS, prospective authorized Users within these agencies will need to obtain properly documented approval from their designated Agency DPRIS Manager to become authorized Users of the Web site.

After an agency has completed the pre-negotiated arrangements for its personnel to use DPRIS, individuals within that agency may start their personal registration process via the DPRIS Home Page. To begin the registration process, click the "Register Now" link (Figure 3-1).



Figure 3-1 Registering a New User

3.2. New User Registration Information Page

The New User Registration Information page appears. Click the "New User Registration Form" link (Figure 3-2).



Figure 3-2 New User Registration Information Page

3.3. PRIVACY AND SECURITY STATEMENT

The Privacy and Security Statement page (Figure 3-3) is then displayed. After reading the information presented, click the "Accept" link.




Figure 3-3 Privacy and Security Statement

3.4. LOGIN METHOD

The Login Method Screen (Figure 3-4) is then displayed. Two login choices are presented: User ID and Password Method (Section 3.4.1), and Common Access Card (CAC) method, described in Section 3.4.2.

3.4.1. User ID and Password Method

Select the "User ID and Password" radio button and click "Continue".




Figure 3-4 Login Method Form

Selecting the User ID and Password Method and clicking "Continue" will bring you to the New User Registration Form show in Figure 3-5.




Figure 3-5 User ID and Password

3.4.1.1. DPRIS Password Rules

To insure security, create a password that adheres to the specific DPRIS Password Rules (Figure 3-6). The Password Rules also ensure integrity of the system.

NOTE: User ID, password, e-mail address and security challenge answer are all case-sensitive in DPRIS.

DPRIS uses an industry standard process for establishing passwords. These rules are called Strong Passwords. The following rules must be adhered to:

- · Each password must contain
- 1. A minimum of eight (8) character
- 2. At least one uppercase alphabetical character

Example: A B C D E F G

3. At least one (1) lower case alphabetical character

Example: a b c d e f g

4. At least one (1) numeric character

Example: 1234567890

5. At least one (1) of the following special characters

Example: ! @ # \$ % ^ () - _ = , . : ; ? ' "

- · Each password must NOT:
- 1. Contain a space

Example: US Gov

- The password may not be changed more than once within a 24 hour period.
- The password must be different than the last ten (10) created by the user.

Figure 3-6 DPRIS Password Rules

An example of an acceptable password would be: Dpris5379!

To continue with the User ID and password method, please skip to Section 3.5, "New User Registration Form".

3.4.2. Common Access Card Method

Select the "Common Access Card" radio button and click "Continue" (Figure 3-7).



Figure 3-7 Common Access Card Method

Click the "Select Certificate" Button (Figure 3-8).




Figure 3-8 Select Certificate

Select your appropriate certificate from the "Select Certificate" prompt and click "Ok" (Figure 3-9).




Figure 3-9 Select Certificate Prompt

You will be prompted with a Security Alert. Read the warning and select "Yes" (Figure 3-10).




Figure 3-10 Security Alert

Next, you will be prompted to enter your PIN (personal identification number) number into the "ActiveClient Login" prompt and click "OK" (Figure 3-11). Use the PIN number that was set up when you received your Common Access Card.




Figure 3-11 PIN Prompt

DPRIS will bring up your name and certificate information in the certificate box. Click "Continue" (Figure 3-12).



Figure 3-12 Certificate Box

You will be brought to the New User Registration Form (Section 3.5).

3.5. New User Registration Form

The New User Registration Form (Figure 3-13) is displayed. Input the Agency ID Code provided to you by your Manager or DPRIS point of contact into the Agency ID Code form field. Click on the "Select Manager" link which will bring up a list of Managers to select from (provided a valid Agency ID code is entered).

NEW USER REGISTRATION FORM			
Please complete the online form below to register as a new DPRIS user. Upon completion of all required information fields, click the Submit button at the bottom of the page. An automated email will then be sent to the appropriate manager to approve the new user request. (Note, text entered below is case sensitive and will be used each time a user logs into DPRIS.)			
PERSONAL INFORMATION			
Erral Name *	John		
Mode Initial			
Last Name *	Doe		
ñeet in .	John.Doe@va.org		
Baseword *	Passwords must contain: at least 8 characters (no spec character. Ex. More-fuzbol Click here for a list of password rules.	es), at least one upper case and one lower case alpha, at least one number and one special	
Gonfirm Password *			
Beourity Question *	Mothers Maiden Name Choose a question only you know the answer to and has asking you this question. The answer you enter should of spaces.	nothing to do with your password. If you forget your password, we'll verify your identity by notain only letters (a.e. $A.Z$), numbers (0.4), and these special characters $(0.0^{\circ}_{-1}, -1)$, and blank	
Recurity Answer *			
Email Address *	John.Doe@va.org Please verify that you have entered your correct email a notifications, your email address needs to be correct.	address. In order for you to get notifications of the status of your DPRIS requests, and other	
Confirm Email Address *	John.Doe@va.org		
Phone Number *	(901) 555 (1597		
ACENCY IN CHARLION			
Agency ID Code *	Code exacity as it was given to you	If this code has not yet been supplied to you, please contact your manager before continuing.	
Wanader *	Saleof Manager Click the link to get the list of authorized managers for y The following manager's information will be populated by manager.	our Agency. seed on the Manager selected. View this Information to verify you have selected the correct	
Full Agency Name			
Manager's Name			
Manager's Phone			
Manager's Email			
Manager's Office Code or Symbol			
Qffice Code or Symbol	Enfar an Office Code or Symbol, if your agency uses one sollvated.	. If you are unsure, this field can be left blank now and updated after your account has been	
By clicking on the SUBINT button, you agree to adhere to all provisions of the Privacy Act of 1974 (S.U.S.C. § 592a) and the Health Insurance Portability and Accountability Act of 1996 (HPAA) (Public Law (P.L.) 104-191. Submit Back			
* Represents a required field			

tien, roluting al related explorant, melorita, and melorita incentions (accessed incoming inferred accessed are provided only for authorised U.S. Government use. Doll computer systems may be monitored for all leads of providing meloritations and the system may be asserted, resolved, copies and used for authorised purposes. All reformation, recording present information, present men year may be annotined. Use of this Doll computer system, authorised or maniformation contains a memoritation of the systems may be annotined. Use of this Doll computer system, authorised or maniformation, contains an annotined or maniformation or man

Login _About DPRIS _Environ Policy _Memorandum of Agreement _EAQs _Help _Links _Eite Map _Contact Us

Figure 3-13 New User Registration Form

3.6. MANAGER SELECTION PAGE

The Manager Selection (Figure 3-14) Page is displayed in. Select the appropriate Manager who will approve the User Registration Form.




Figure 3-14 Manager Selection Page

The Manager information will auto-populate into the appropriate fields. To submit the form, click the "Submit" link (Figure 3-15).



Figure 3-15 Manager Information

The Your information was submitted page (Figure 3-16) will appear. This submission will notify the Manager a New User Registration Form has been submitted for approval. Once the Manager approves the account, you will be ready to login and begin using DPRIS.



Figure 3-16 Form Submitted

4. USING DPRIS

4.1. LOGGING INTO DPRIS

Two login choices are presented: User ID and Password Method, described in Section 4.1.1, or Common Access Card (CAC) method (4.1.2).

4.1.1. Logging into DPRIS with a User ID and Password

To login with your DPRIS User ID and password, go to the DPRIS Home Page www.dpris.dod.mil, enter your User ID and Password (case-sensitive – must be exact) into the appropriate fields and click "Login" (Figure 4-1).




Figure 4-1 DPRIS Login

After clicking "Login" you will be brought to the "U.S. Government System Notification" Page. To continue with the User ID and password login method, please skip forward to Figure 4-7.

4.1.2. Logging into DPRIS with a Common Access Card

To login with your Common Access Card, first insert your CAC into your computer's card reader. From the DPRIS Home screen click the "Select CAC" button (Figure 4-2).




Figure 4-2 Select CAC

You will be prompted to select your certificate from the "Select Certificate" window (Figure 4-3). Select the appropriate certificate.




Figure 4-3 Select Certificate

You will be prompted with a Security Alert. Read the warning and select "Yes" (Figure 4-4).




Figure 4-4 Security Alert

You will then be prompted to enter your Common Access Card PIN. Enter your PIN and select "OK" (Figure 4-5).




Figure 4-5 Enter PIN

Your User name and certificate number will now appear where the "Select CAC" button was. Click "Login" to continue (Figure 4-6).




Figure 4-6 Certificate ID

The U.S. Government Information System Notification page is displayed. After reading the information, click the "Accept" link (Figure 4-7).




Figure 4-7 U.S. Government Information System Notification

You are now logged into DPRIS.

4.2. CREATING REQUESTS IN DPRIS

The View Responses page (also the default page) (Figure 4-8) is displayed once you are logged into DPRIS. From this page, you can create new requests for images from a Service's OMPF repository or for information from the Joint Services Records Research Center (JSRRC). Click the "Create Request" link to begin the request process.




Figure 4-8 View Responses Page

The Create Request page (Figure 4-9) is displayed with a choice to create an OMPF request or, if a User is authorized, to create a JSRRC Request. If a User is not authorized to create a JSRRC Request, that option will not appear.



Figure 4-9 Create Request Screen

4.2.1. Creating an OMPF Request

Clicking on the "Create an OMPF request" link from the Create Request Screen (Figure 4-9) will bring you to the OMPF Request Form (Figure 4-10). Fill in the personal information (Full Name and Social Security Number) of the individual you are requesting records for, and select the appropriate OMPF systems(s) to be queried. Make your selections from the document index and click "Submit".




Figure 4-10 OMPF Request Form

4.2.2. Creating a JSRRC Request

If authorized to make JSRRC requests, click the "Create a JSRRC request" link. The JSRRC Request Form (Figure 4-11) will be displayed. Fill in the personal information (full name and Social Security Number) of the individual you are requesting records for, and select the appropriate Military Branch, Reason Code, and Station Code. A JSRRC request must contain the information for at least one of the Post-Traumatic Stress Disorder (PTSD) Stressor codes or the Agent Orange code. It can contain up to four codes if needed. To enter the request code information, select one of the request code radio buttons and then click the "Continue" link.




Figure 4-11 JSRRC Request Form

If one of the PTSD Stressor codes was selected, the PTSD Stressor form (Figure 4-12) will be displayed. Enter the mandatory information on this form and click the "Continue" button to return to the main JSRRC Request Form.




Figure 4-12 PTSD Stressor Form

Once the PTSD Stressor form has been completed, a red "X" appears next to the specified Request Code on the JSRRC Form (Figure 4-13). To delete an existing request, click the "X" icon and confirm the deletion when a popup message is displayed. Click the "Submit" link on the main JSRRC Request Form to complete the process of creating a JSRRC request.




Figure 4-13 JSRRC Form

If the Agent Orange code was selected, the Agent Orange Claim form (Figure 4-14) will be displayed. Enter the ship from and ship to dates for up to five shipments. Each shipment can have up to 25 pairs of dates. To add another date to a shipment (i.e., Unit assignment), click the "Add Date" button for the shipment. Once all shipment information is entered, click the "Continue" link to return to the main JSRRC Request Form.

Agent Orange Claim				
NOTE: Sales must be entered in a MINISOTYTY Notice				
(*) - Repired Faids				
	Aurgoment 1 Internation			
Snt of Assgnrant *				
Consumptioning Surrounding Sysposium to Agent Change *				
Unites Unit Claimed Exposure to Agent Orange Documed				
two.		Le ·		
ADD DATE				
gar out				
	Aurgoment 2 Information			
	(if exegurant is entered, exposure constraints and dates are mandatory)			
Stat of Assignment				
		_		
Concendences Surrounding grapours to Agent Grange				
Automatering brushnessed Entering to Wast Austin				
ADD DATE				
	Assignment 2 Information			
	(if exegurant is entered, exposure constraints and dates an maniplicity)			
Unit of Assignment				
In a section				
Conumberous Surrounding Engosum to Agent Onings				
	(A)			
ADD: DATE				
	Assignment 4 Inhometron			
	(P seegment is entered, exposure conumbration and dates are mandatory)			
	principalitati di antaria, aprilata dispersantia and data an intercating			
ignt of Assignment				
Cincombinate Surrounding Exposure to Agent Change				
	A			
ADD DATE				
Appropriet 5 Information				
(P exponent a mineral, represent a mineral, represent procession and date are monitoring)				
Yest of Assignment				
Considerate Surrounding Syposure to Agent Change				
	4			
AD0.0AT6				
, , , , , , , , , , , , , , , , , , , ,				
	QONTINUE BACK			

Figure 4-14 Agent Orange Claim Form

Create Request Wed, Sep 28, 2011 OMPF REQUEST USRRC REQUEST JSRRC REQUEST FORM *) - Required Fields Social Security Number * Last Name * Military Branch * Amy Marine Corp ¥ Reason Code ' None Select an option and click the Continue button to enter JSRRC information JSRRC Request Codes O40 PTSD - Stressor 1 O41 PTSD - Stressor 2 O42 PTSD - Stressor 3 O45 Agent Orange Claim CONTINUE SUBMIT

Once the appropriate selection is marked with an "X", click "Submit" (Figure 4-15).

Figure 4-15 Submit Request Form

After successfully submitting a request, the "Your Request was submitted" page (Figure 4-16) will be shown.




Figure 4-16 Request Submitted

Once a response has been received by DPRIS, from the Service OMPF Systems of JSRRC, you will receive a notification e-mail from donotreply@dpris.org. An example of a typical system generated e-mail response is:

"This is an automated message generated by the system. PLEASE DO NOT REPLY TO THIS MESSAGE.

A response has been received for the following request:

2jL9d7G3NH4Eb7L13269_na, Smith

You may now logon to DPRIS Web and view the response to your request."

This process typically should not take longer than 20 minutes, from the time the request has been made until the user receives a response.

4.3. VIEWING RESPONSES

At the View Responses page (Figure 4-17), which is the DPRIS default screen, click on one of the Request IDs for previously made requests.




Figure 4-17 Response IDs

In this example, a records request has already been made. The "View Subordinates' Responses" link allows a Manager to view the responses to requests initiated by their subordinates. This link will only be visible to Users who are in a managerial role and have subordinate Users. Click on the "Request ID" to begin viewing responses to requests. If no response has been received, the Request ID does not show up.

A list of available images received from the Services' OMPF repository system based on the request will be shown. Select an image to review. Then select "Display Selected Files" (Figure 4-18).

NOTE: Adobe Reader must be installed on the User's computer in order to display selected files.



Figure 4-18 List of Available Images

Figure 4-19 shows an example of a typical form that is requested through the DPRIS system.




Figure 4-19 DD Form 214

4.4. WEB-BASED DPRIS REPORTS

To navigate to the Reports page, click on the "Reports" link (Figure 4-20). Access to different types of Web-based reports will be found on this page. Click on each Web-based report to access the report.

NOTE: Report availability is based on user roles and access permissions determined at the manager level. Typically, only Super Users and Managers will have access to these reports.




Figure 4-20 Reports Page

Figure 4-21 shows an example of an Access History Report For Agency Users.



Figure 4-21 Web-Based Report

5. ACCOUNT MANAGEMENT

Managers have the responsibility of managing DPRIS accounts for their subordinate Users through the DPRIS Web site. The roles associated with this activity are assigned as part of the User approval process and are recognized by the DPRIS system when a User logs in. Managers are authorized to approve new User registration requests, change the document assignment and authority role of their active subordinate Users, and temporarily and permanently deactivate subordinate Users. The ability to manage other User accounts is available only to Users in a managerial role.

From the DPRIS View Responses/Default Screen, click on the "Accounts" link to navigate to the Account Management page (Figure 5-1). From the Account Management page, you can access links to modify profiles, change passwords, and manage subordinate Users if applicable.



Figure 5-1 Account Management

5.1. CHANGING YOUR ACCOUNT PROFILE

As a User, you can make changes to your account portfolio, such as modifying your e-mail address, to your account profile. Click on the "My Account" link and make the appropriate changes on the "My Account" page (Figure 5-2). Click "Submit" once you have made your changes.

NOTE: Your User ID cannot be altered for any reason. If a new User ID is required, your old account needs to be deactivated by your Manager. You must then go through the registration process again with the new User ID.




Figure 5-2 My Account Profile

5.2. CHANGING YOUR PASSWORD

From the "Accounts" link in Figure 5-3, the Account Management page is displayed. Be sure to adhere to the aforementioned strong password rules in Figure 3-6 when making this change. Enter and confirm a new password then click "Submit".




Figure 5-3 Changing Your Password

5.3. ACTIVATING, DEACTIVATING & REJECTING USERS

Managers are responsible for approving new User registration requests, changing the document assignment and authority role of their active Users assigned to them, and temporarily and permanently deactivating the Users assigned to them.

5.3.1. Activating New Users

Managers will receive an e-mail whenever a new User has submitted a registration form and selected them as their Manager. From the Account Management page (Figure 5-4), click on "User Accounts" and select "New Users".



Figure 5-4 User Accounts

Click on the new User's name from the New User Accounts page (Figure 5-5).




Figure 5-5 New User Account

The potential new User's Profile information page (Figure 5-6) is displayed. It is important that the information pre-populated into this form is reviewed to ensure accuracy. Once the information has been verified, click "Continue".




Figure 5-6 New User Profile

The Role Assignment page (Figure 5-7) is displayed. Here, the type of requests can be specified. This form is used for assignment of access. An advantage of DPRIS is that a User does not have to go through a large number of images if, for example, they only need the Service Computation Group or more specifically the DD Form 214. Only those Users with an approved business need will have JSRRC access. To approve the request, click "Activate".




Figure 5-7 Role Assignment

5.3.2. Deactivating Users

When a User no longer requires access to DPRIS a Manager is required to deactivate the User. To do so, click on "Active Users" from the Quick Links Menu (Figure 5-8) to receive a list of all active User accounts. Click on the name of the User to deactivate the account.




Figure 5-8 Deactivating an Active User Account

Review the User's account profile (Figure 5-9), to verify this is the User you would like to deactivate and click "Continue".




Figure 5-9 Deactivate User Profile

MY ACCOUNT PASSWORD USER ACCOUNTS REASSIGN USERS eti ond seni in Role Assignment for User Role Level **✓** Service Computation <u>Group</u> ✓ Professional History Group SC1 DD214 PH1 Promotion/Adv/Reduction SC2 Service Verification/Cor PH2 Service Military Educ/Traini SC3 Officer Appt/Termination PH3 Civilian Education/Training SC4 Enlistment/Extensions PH4 Service Status/Change/Revis SC5 Service Acknowledgen PH5 Chron Assignment History SC6 Discharge/Separation/Ret PH6 Quals/Licenses/Certificates SC7 Casualty/Death PH7 Security Access/Clearance SC8 Orders/Endorse Performance Group AG1 Dependant Support/Elig AG2 Personal History/Bio PG2 Commendatory Items AG3 Loan/Tuition Assistance/Elig PG3 Derogatory Items AG4 Change/Correction/Verification PG4 Sensitive/Restricted AG5 Medical/Physical/Exam/Findings PG5 Photographs AG6 Miscellaneous Admin Docs ✓ JSRRC Request Codes O40 PTSD - Stressor 1 O41 PTSD - Stressor 2 O42 PTSD - Stressor 3 O43 Agent Orange Claim UPDATE DEACTIVATE

The Role Assignment page (Figure 5-10) is then displayed. Click "Deactivate".

Figure 5-10 Deactivate User

From this screen select either temporary or permanent deactivation and click "Submit" to complete the deactivation process. A comment box is provided to make a note of why the User is being deactivated. Comments describing why the User is being deactivated are required. An email will be sent to the User confirming the change. A list of temporarily and permanently deactivated Users can be viewed by clicking on the appropriate link on the left of the Deactivate page (Figure 5-11).




Figure 5-11 Deactivation Submission

5.3.3. Rejecting a User

If a New User Registration Form is incorrectly filled out, or there is another issue, reject the new User registration form by navigating to that User's Role Assignment page (Figure 5-12).




Figure 5-12 Rejecting a User

Select the reason that best describes why the request has been rejected on the Reject Authorization page (Figure 5-13). There is a section for comments, which will go to the User in an e-mail. Once completed, click "Submit". User registrations that are rejected are completely purged from the system, and the User is required to begin the registration process again.




Figure 5-13 Reject Authorization

5.4. UPDATING USER PROFILES

Managers can change a User's role level and/or modify the viewable documents that the User has access to. To update a subordinate User's profile, the Manager should navigate to that User's Role Assignment page (Figure 5-14) and check or un-check the desired boxes to change that User's viewable documents and then click "Update".




Figure 5-14 Updating User Profiles

5.5. FORGOTTEN PASSWORDS

5.5.1. Resetting Your Password

If you forget your password it can be reset. However, after three unsuccessful login attempts, you will be locked out of DPRIS and the Number of Invalid Login Attempts Exceeded page (Figure 5-15) will appear. If this screen appears, the password must then be reset by the User's Manager.

NOTE: User ID, password, and security challenge answers are all case-sensitive – must be exact.



Figure 5-15 Invalid Login Attempts

To reset your password, click on the "Forgot Password" link on the DPRIS Home page (Figure 5-16).



Figure 5-16 Forgot Your Password

At the DPRIS Forgotten Password page (Figure 5-17), enter your User ID and e-mail address. If both are entered correctly your secret question (you selected your secret question when you initially registered) will be displayed. An e-mail with your password will be sent to you. During your next login, a new password will be required.

(NOTE: Please keep in mind that the new User password must adhere to the password rules defined in aforementioned Figure 3-6.)




Figure 5-17 Forgot Password Prompt

5.5.2. Resetting Another User's Password

If a User has forgotten their password and is locked out of their account, the password can be reset by the User's Manager or Super User. The Manager or Super User will navigate to the Accounts Management page (Figure 5-18) and click on "Active Users". A list of active Users will be displayed. Select the User you would like to reset the password for by clicking on the User's name.




Figure 5-18 Resetting Another User's Password

The User's profile page will be displayed. Click the "Reset Password" link (Figure 5-19) on the left side of the screen.




Figure 5-19 Reset Password Link

Click "Submit" (Figure 5-20).




Figure 5-20 Submit Reset Password

NOTE: Please keep in mind that the new User password must adhere to the password rules defined in Figure 3-6.

A system generated e-mail is then sent to the User notifying them that they may log back in using their new password and that they must immediately reset their password upon logging back in. Only after this new password has been created, can they resume use of the DPRIS system.

5.6. REASSIGNING SUBORDINATE DPRIS USERS

Managers and Super Users have the ability to reassign their subordinate Users to another Manager. This is useful for when a Manager is going to be out of the office, leaves an agency, or changes projects.

Click the "Reassign Users" link on the Account Management page (Figure 5-21).




Figure 5-21 Reassign Users

A list of the subordinate Users will be displayed. Select the User(s) to be reassigned by clicking the check box on the left (Figure 5-22). Click "Continue".




Figure 5-22 Select User to Reassign

The Select New Manager page is displayed (Figure 5-23). Click the check box next to the new Manager's name. Click "Submit" to complete the reassignment.




Figure 5-23 Select New Manager

The following screen will appear (Figure 5-24).




Figure 5-24 Successful Reassignment

6. INFORMATION PAGEThe DPRIS Information page (Figure 6-1) provides additional information to the User about DPRIS.



Figure 6-1 Information Page

7. DPRIS HELP

Click on the "Help" link to display the Help page (Figure 7-1).




Figure 7-1 DPRIS Help

A Manager is the best resource to assist in helping a User with any questions. If the Manager is unable to fix the issue, navigate to the DPRIS Assistance Form (Figure 7-2). All Assistance Form comments are reviewed by a DPRIS functional analyst or a technical analyst. An acknowledgement of receipt and initial disposition action for suggestions, complaints, or problems/questions that do not require immediate assistance will be provided by e-mail within five working days. If your problem / question is more severe, you will receive a response by e-mail within one business day.




Figure 7-2 Assistance Form

Answers to common questions can be found on the Frequently Asked Questions page (Figure 7-3).




Figure 7-3 Frequently Asked Questions

8. CONCLUSIONThe DPRIS Web site User Guide will be updated periodically and the most recent version will be available online via the DPRIS Web site.

APPENDIX A. ACRONYMS

The table in Appendix A shows the list of acronyms used within the User Guide.

Term	Definition
CAC	Common Access Card
DPRIS	Defense Personnel Records Information Retrieval System
HIPPA	Health Insurance Portability and Accountability Act
JSRRC	Joint Services Records Research Center
NPRC	National Personnel Records Center
OMPF	Official Military Personnel File
PIN	Personal Identification Number
PM	Program Manager
РМО	Program Management Office
PTSD	Post-Traumatic Stress Disorder